

Certificate of Analysis

Birch leaf Standard OAS
CatNo. B2166 –Certificate no. 136621

General

This Organic Analytical Standard (OAS) consists of a homogenous batch of Birch leaf standard for use as a routine working microanalytical standard for the determination of Carbon, Hydrogen, Nitrogen and Sulphur

Certified Values and Uncertainty

The uncertainty in the certified value is expressed as expanded uncertainty, U, at 95% confidence and is calculated in accordance with ISO/IEC17025 according to GUM (Guidelines to Uncertainty in Measurement). Confidence limits include those due to sampling variation, weighing, calibration and measurement errors. The certified values are based upon the results of 15 determinations.

The certified values for Carbon, Hydrogen and Nitrogen were determined by elemental analyser calibrated to Cystine 143d from National Institute of Standards and Technology (NIST), Maryland, USA.

The certified value for Sulphur was determined by elemental analyser calibrated to Rice Flour 1568a from National Institute of Standards and Technology (NIST), Maryland, USA.

<i>Element</i>	<i>Certified value</i> (% w/w)	<i>Uncertainty</i> (+/- %)
Carbon	48.09	0.51
Hydrogen	6.55	0.30
Nitrogen	2.12	0.06
Sulphur	0.172	0.03

Expiration of Certification

The certification of this OAS is valid until 22-March-22 within the measurement uncertainties specified

Storage and use

This OAS should be stored between 20°C to 25°C and should be kept tightly sealed away from light and moisture. It is non-hygroscopic under normal conditions and can be used without preliminary drying.

Certification Information

The technical aspects involved in the preparation, certification and issuance of this (In)Organic Analytical Standard (IAS/OAS) were carried out at Elemental Microanalysis Ltd, Okehampton, Devon EX20 1UB UK, Tel +44 1837 54446, Fax +44 1837 54544, Email info@microanalysis.co.uk.

For and on behalf of
Elemental Microanalysis Ltd

Jon Davies
Technical Manager

