

REFRACTORY CERAMIC FIBRE FELT

Page: 1

Compilation date: 16/04/2015 Revision date: 20/05/2019

Revision No: 11

### Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: REFRACTORY CERAMIC FIBRE FELT

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC21: Laboratory chemicals.

### 1.3. Details of the supplier of the safety data sheet

Company name: Elemental Microanalysis Ltd

1 Hameldown Road Okehampton

Okehampton

Devon

EX20 1UB

United Kingdom

Tel: 44(0)183754446

Fax: 44(0)183754544

Email: info@microanalysis.co.uk

### 1.4. Emergency telephone number

Emergency tel: +44 (0) 7990 767375

(office hours only)

## Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Carc. 1Ai: H350i; Skin Sens. 1: H317; STOT SE 3: H335

Most important adverse effects: May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. May cause cancer by inhalation.

## 2.2. Label elements

Label elements:			
Hazard statements:	H317: May cause an allergic skin reaction.		
	H319: Causes serious eye irritation.		
	H335: May cause respiratory irritation.		
	H350i: May cause cancer by inhalation.		
Hazard pictograms:	GHS07: Exclamation mark		
	GHS08: Health hazard		



### REFRACTORY CERAMIC FIBRE FELT

Signal words:	Danger
Precautionary statements:	P202: Do not handle until all safety precautions have been read and understood.
	P284: Wear respiratory protection.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352: IF ON SKIN: Wash with plenty of water.
	P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P261: Avoid breathing dust.
	P308+P313: IF exposed or concerned: Get medical advice/attention.
	P362+P364: Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

Other hazards: Danger of serious damage to health by prolonged exposure.

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

#### ALUMINOSILICATE

EINECS	CAS	PBT / WEL CLP Classification		Percent
-	142844-00-6	-	Eye Irrit. 2: H319; STOT SE 3: H335; Carc. 1B: H350; Carc. 1Ai: H350i	70-90%

#### PHENOL-FORMALDEHYDE RESIN (CURED)

- 9003-35-4

## Section 4: First aid measures

#### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Skin Sens. 1: H317

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

-

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

1-10%

## REFRACTORY CERAMIC FIBRE FELT

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of dust in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

## REFRACTORY CERAMIC FIBRE FELT

## 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

## Hazardous ingredients:

#### ALUMINOSILICATE

Workplace e	/orkplace exposure limits:		Respirable dust:	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	-	0.3 fibre/ml	-	-

**DNEL/PNEC** Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.	
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency. Respiratory	
	protective device with particle filter.	
Hand protection:	Protective gloves.	
Eye protection:	Safety glasses. Ensure eye bath is to hand.	
Skin protection:	Protective clothing.	

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State:	Fibres	
Colour:	White	
Odour:	Odourless	
Evaporation rate:	No data available.	
Oxidising:	No data available.	
Solubility in water:	Insoluble	
Viscosity:	No data available.	
Boiling point/range°C:	No data available. Melting point/range°C	1650
Flammability limits %: lower:	No data available. upper:	No data available.
Flash point°C:	No data available. Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available. Vapour pressure:	No data available.
Relative density:	No data available. PH:	No data available.
VOC g/l:	No data available.	

### REFRACTORY CERAMIC FIBRE FELT

**Page:** 5

### 9.2. Other information

**Other information:** No data available.

### Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

#### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# Section 11: Toxicological information

#### 11.1. Information on toxicological effects

### Hazardous ingredients:

### ALUMINOSILICATE

DERMAL	RBT	LD50	2000	mg/kg
ORAL	RAT	LD50	10000	mg/kg

### Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated
Carcinogenicity		Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

## REFRACTORY CERAMIC FIBRE FELT

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

### Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Insoluble in water.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

Transport class: This product does not require a classification for transport.

#### Section 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

#### Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

This safety data sheet is prepared in accordance with Commission Regulation (EC) No

## REFRACTORY CERAMIC FIBRE FELT

Page: 7

1272/2008.

	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	H350i: May cause cancer by inhalation.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.