

TUNGSTEN (VI) OXIDE

Page: 1

Compilation date: 27/11/2015 Revision date: 02/02/2022

Revision No: 13

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: TUNGSTEN (VI) OXIDE

CAS number: 1314-35-8

EINECS number: 215-231-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC21: Laboratory chemicals. PROC15: Use as laboratory reagent

### 1.3. Details of the supplier of the safety data sheet

Company name: Elemental Microanalysis Ltd

1 Hameldown Road Okehampton

Okehampton

Devon

EX20 1UB

United Kingdom

Tel: 44(0)183754446

Fax: 44(0)183754544

Email: info@microanalysis.co.uk

# 1.4. Emergency telephone number

Emergency tel: +44 (0) 7990 767375

(office hours only)

# Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements: \* This product has no label elements.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: TUNGSTEN (VI) OXIDE.

CAS number: 1314-35-8

## TUNGSTEN (VI) OXIDE

Page: 2

### EINECS number: 215-231-4

# Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

Ingestion: \* There may be irritation of the throat.

Inhalation: \* There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: \* No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

#### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

# 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: \* Refer to section 8 of SDS for personal protection details.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

# TUNGSTEN (VI) OXIDE

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: \* Avoid the formation or spread of dust in the air.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area.

7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

8.1. Control parameters

### Hazardous ingredients:

### **TUNGSTEN (VI) OXIDE.**

#### Workplace exposure limits:

**Respirable dust:** 

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	-	-	5mg/m3	10mg/m3

## **DNEL/PNEC** Values

DNEL / PNEC No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area. Respiratory protection: \* Respiratory protective device with particle filter. Hand protection: Protective gloves. Eye protection: Safety glasses. Ensure eye bath is to hand. Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State:	Powder			
Colour:	Pale yellow			
Odour:	Odourless			
Evaporation rate:	No data available.			
Oxidising:	No data available.			
Solubility in water:	No data available.			
Boiling point/range°C:	1837	Melting point/range°C:	1472	
Flammability limits %: lower:	No data available.	upper:	No data available.	
Flash point°C:	No data available.	Part.coeff. n-octanol/water:	No data available.	
Autoflammability°C:	No data available.	Vapour pressure:	No data available.	
Relative density:	7.16			[cont]

# TUNGSTEN (VI) OXIDE

Page: 4

**pH:** 6.1

VOC g/l: No data available.

9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# Section 11: Toxicological information

## 11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** \* There may be irritation of the throat.

Inhalation: \* There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: \* No data available.

## Section 12: Ecological information

## 12.1. Toxicity

Hazardous ingredients:

# TUNGSTEN (VI) OXIDE

Page: 5

### **TUNGSTEN (VI) OXIDE.**

ALGAE	72H IC50	1	mg/l
Daphnia magna	48H EC50	2.6	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	5.25	mg/l

12.2. Persistence and degradability

#### Persistence and degradability: \* Biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: \* No bioaccumulation potential.

#### 12.4. Mobility in soil

Mobility: No data available.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

Other adverse effects: \* Negligible ecotoxicity.

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: Arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# Section 14: Transport information

Transport class: This product does not require a classification for transport.

# Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### Section 16: Other information

### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

# 2015/830.

TUNGSTEN (VI) OXIDE

**Page:** 6

This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.

\* indicates text in the SDS which has changed since the last revision.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.